

# Safety Data Sheet

W.M. Creations, Inc.  
5755 Tujunga Ave.  
North Hollywood, CA 91601  
(818) 763-6692 Fax: (818) 763-6693

## 1. Product Identification:

**Product:** W. M. Creations, Inc Extra Hold Spirit Gum – 2 oz.  
W. M. Creations, Inc. Special Extra Hold Spirit Gum -2 oz.  
W. M. Creations, Inc. Super Matte Spirit Gum - 2 oz.  
W. M. Creations, Inc. Extra Hold Plastic Spirit Gum - 2 oz.

### Emergency contacts:

#### CHEMTEL:

**DOMESTIC: 800 255 3924**

**INT'L: +01 813 248 0585**

## 2. Hazard Identification:

### Potential Health Effects:

#### Eye Contact:

Chemicals in this product will irritate the eyes. Avoid contact with all mucous membranes and eyes.

#### Skin Contact:

Chemicals in this product may irritate the skin.

#### Inhalation:

Chemicals in this product may cause irritation of the nose and throat, dizziness and headache

#### Ingestion:

Do not ingest. Ingestion of large quantities of this product can cause headaches, dizziness, mental depression, vomiting, narcosis, or fatality.

#### Flammable Liquid:

Isopropanol & Dimethyl ketone (less than one ounce combined per 2 oz. bottle)

## 3. Composition:

Copal

Isopropanol 67-63-0

Dimethyl Ketone 67-64-1

Hydrated Magnesium Silicate/Polyvinyl Butyral and /or Silicone Dioxide

## 4. First Aid Measures:

### Eye Contact:

Flush eyes immediately with plenty of water and seek medical attention at once.

**Inhalation:**

If excessive inhalation has created dizziness or other adverse effects, move to fresh air and seek immediate medical attention.

**Ingestion:**

If ingestion occurs, seek immediate medical attention. Do not induce vomiting. Ingestion of Isopropanol based products can cause fatality.

**5. Fire Protection:**

**Flash Point:**

53 Degrees F.

**Auto Ignition Temperature:**

852 Degrees F.

**Extinguishing Media:**

Dry Chemical, Foam or Carbon Dioxide.

**Unusual Fire Explosive Conditions:**

Dense smoke may be generated while burning. Carbon Dioxide, Carbon Monoxide and other Oxides may be generated as products of combustion

**6. Accidental Release Measures:**

Treat as flammable liquid, cover with sand or other dry media. Collect waste with shovel or other implement.

Deposit in a flame resistant container and dispose according to local/national regulations.

**7. Handling & Storage:**

**Precautions:**

Keep away from heat. Use with adequate ventilation.

**Storage:**

Keep tightly sealed and away from heat sources.

**8. Exposure & Personal Protections:**

**Eye Contact:**

Eye protection is not required under conditions of normal use. If material is handled such that it could be splashed into eyes, wear plastic face shield or splash proof safety goggles.

**Skin Protection:**

None normally required.

**Respiratory Protection:**

None normally required.

## **9. Physical & Chemical Properties:**

### **Boiling Point:**

180 deg F

### **Melting Point:**

-127 deg F

### **Appearance:**

Amber colored liquid

### **Odor:**

Potent alcohol smell

### **Vapor Pressure:**

N/A

### **Solubility:**

Insoluble in water

### **Molecular Weight:**

Varies

## **10. Stability & Reactivity:**

Keep away from heat and sources of ignition. Can react with strong oxidizers, inorganic acids and halogens.

## **11. Toxicological Information:**

Prolonged exposure can cause nausea, headache and vomiting.

## **12. Ecological Information:**

Low toxicity to aquatic organisms such as bacteria, algae, protozoa and fish.

## **13. Disposal Considerations:**

Dispose of only in accordance with local, state and federal regulations.

## **14. Transport Information:**

### **DOT:**

Isopropanol, 3 UN 1219, II

This product is regulated as a hazardous material as defined by the Department of Transportation.

### **IATA:**

Isopropanol, 3 UN 1219, II

This product is regulated as a hazardous material as defined by ICAO/IATA for air transportation.

## **15. Regulatory Information:**

### **California Prop. 65:**

This product does not contain chemicals known to the State of California to cause cancer, birth defects or any other reproductive harm.

**SARA Hazard Classification :**

Fire Hazard

Acute Health Hazard

**New Jersey RTK Label Information:**

Isopropanol 67-63-0

**Pennsylvania RTK Label Information:**

Isopropanol 67-63-0

**Notification Status:**

Y positive listing for: United States TSCA Inventory, Canadian DSL, Australia Inventory of Chemical Substances, New Zealand ICS, Japan ENCS and ISHL, Korea ECI, Philippines ICCS and China IECSC.

	<b>HMIS</b>	<b>NFPA</b>
<b>Health</b>	<b>2</b>	<b>1</b>
<b>Flammability</b>	<b>3</b>	<b>3</b>
<b>Physical Hazard</b>	<b>0</b>	
<b>Instability</b>		<b>0</b>
<b>Specific Hazard</b>	<b>--</b>	<b>--</b>

**16: Other Information:**

**THIS PRODUCT IS PACKAGED IN 2 oz. PLASTIC BOTTLES ONLY AND IS INTENDED SOLEY FOR PROFESSIONAL USE IN THEATRE, FILM AND TELEVISION APPLICATIONS. IT IS NOT SPECIFICALLY A COSMETIC PRODUCT AND AS SUCH IS NOT INTENDED FOR DAILY USE BY THE GENERAL PUBLIC.**

**THE ABOVE DATA PERTAIN TO INGREDIENTS CONSIDERED HAZARDOUS IN MUCH LARGER QUANTITIES.**

**Revised: 1/9/14**